

Ημερομηνία: 24 Ιανουαρίου 2020

Θέμα: Νέος Κοροναϊός 2019 (2019-nCoV)

Πλαίσιο: Οι ανθρώπινοι κοροναϊοί¹ είναι συνηθισμένοι σε όλο τον κόσμο. Οι ανθρώπινοι κοροναϊοί συνήθως προκαλούν ήπια έως μέτριας σοβαρότητας ασθένειες. Είναι γνωστό πως δύο νεότεροι ανθρώπινοι κοροναϊοί, οι MERS-CoV και SARS-CoV, προκαλούν σοβαρή ασθένεια. Το 2019 εμφανίστηκε ένας νέος κοροναϊός, ο 2019-nCoV, ο οποίος προκαλεί ανησυχία.

Τι είναι ο Νέος Κοροναϊός 2019 (2019-nCoV);²

- Οι Κινεζικές αρχές εντόπισαν το νέο κοροναϊό που εμφανίστηκε στην πόλη Γιουχάν, στην Κίνα.
- Ο ιός αυτός έχει ως αποτέλεσμα τουλάχιστον 500 επιβεβαιωμένα κρούσματα, συμπεριλαμβανομένων και κρουσμάτων εκτός Γιουχάν, με επιπλέον κρούσματα να εντοπίζονται σε αυξανόμενο αριθμό χωρών διεθνώς. Το πρώτο κρούσμα στις Ηνωμένες Πολιτείες ανακοινώθηκε στις 21 Ιανουαρίου 2020. Δεν έχουν επιβεβαιωθεί ακόμα κρούσματα στην Ευρώπη, αναμένεται όμως να υπάρξουν κρούσματα που σχετίζονται με πληθυσμό που ταξιδεύει.
- Τα κλινικά σημάδια και συμπτώματα περιλαμβάνουν πυρετό και συμπτώματα νόσου του κατώτερου αναπνευστικού (π.χ., βήχα, δύσπνοια) και ποικίλουν από ήπια έως σοβαρή νόσο.
- Αρχικά, πολλοί από τους ασθενείς στο Γιουχάν, στην Κίνα, ανέφεραν ότι είχαν κάποια σχέση με μια μεγάλη αγορά θαλασσινών και ζώων, γεγονός που υποδηλώνει εξάπλωση από ζώα προς ανθρώπους. Ωστόσο, αυξανόμενος αριθμός ασθενών αναφέρουν ότι δεν είχαν εκτεθεί σε αγορές ζώων, πράγμα που σημαίνει ότι υπάρχει περιορισμένη μετάδοση από άνθρωπο σε άνθρωπο, παρότι δεν είναι ξεκάθαρο πόσο εύκολα ή βιώσιμα μεταδίδεται ο ιός ανάμεσα σε ανθρώπους. Είναι γνωστό ότι τόσο ο MERS όσο και ο SARS προκαλούν σοβαρή νόσο στους ανθρώπους. Η κατάσταση σχετικά με τον 2019-nCoV δεν είναι ακόμα ξεκάθαρη. Ενώ σοβαρές μορφές της νόσου, που περιλαμβάνουν και τουλάχιστον δεκαεπτά περιπτώσεις που οδήγησαν σε θάνατο, έχουν αναφερθεί στην Κίνα, άλλοι ασθενείς είχαν πιο ήπια μορφή της νόσου και έλαβαν εξιτήριο. Περιορισμένος αριθμός μετάδοσης από άνθρωπο σε άνθρωπο έχει αναφερθεί σε εργαζόμενους στο χώρο της υγείας, οι οποίοι φρόντιζαν κάποιους από τους ασθενείς στην Κίνα.
- Δεν υπάρχουν επιβεβαιωμένα κρούσματα μετάδοσης από περιπτώσεις προς άλλες χώρες.
- Η Επιτροπή Έκτακτων Αναγκών του ΠΟΥ συναντήθηκε στις 22 Ιανουαρίου και παρείχε ενημέρωση σχετικά με τις τρέχουσες έρευνες στην Κίνα. Προς το παρόν, δεν έχει κηρυχθεί Κατάσταση Έκτακτης Ανάγκης Δημόσιας Υγείας Διεθνούς Ανησυχίας (PHEIC). Η αξιολόγηση του επιπέδου σοβαρότητας και της μετάδοσης του 2019-nCoV συνεχίζεται.

Ποια είναι τα μέτρα ελέγχου και πρόληψης σε δημόσιους χώρους σχετικά με τον 2019-nCoV?;³

Ο ΠΟΥ συνιστά:

Οι βασικές συστάσεις για την πρόληψη της διάδοσης της μόλυνσης περιλαμβάνουν

- Τακτικό πλύσιμο των χεριών
- Κάλυψη του στόματος και της μύτης κατά το βήχα και τα φτέρνισμα

- Καλό μαγείρεμα του κρέατος και των αυγών
- Αποφυγή στενής επαφής με οποιονδήποτε που εμφανίζει συμπτώματα αναπνευστικής ασθένειας, όπως βήχα και φτέρνισμα

<https://www.who.int/health-topics/coronavirus>

Επιπλέον, κατά τη διάρκεια ταξιδιού σε περιοχή όπου υπάρχει έξαρση:

- Αποφυγή μεγάλων συναθροίσεων και πολυπληθών συγκεντρώσεων, όπου δεν μπορούν να αποφευχθούν οι στενές επαφές μεταξύ ατόμων
- Αποφυγή στενής επαφής με άγρια ή οικόσιτα ζώα

Παρότι η στενή επαφή με μολυσμένο άτομο αποτελεί το βασικό τρόπο μετάδοσης του ιού, η μετάδοση μπορεί να προκληθεί και μέσω των επιφανειών, μετά από άγγιγμα με τα χέρια μιας επιφάνειας που έχει μολυνθεί από βήχα ή φτέρνισμα και στη συνέχεια άγγιγμα του προσώπου. Επομένως, η υγιεινή των χεριών και των επιφανειών, συμπεριλαμβανομένης της χρήσης των κατάλληλων απολυμαντικών προϊόντων, μπορεί να μειώσει περαιτέρω τον κίνδυνο της μετάδοσης του ιού.

Ποια προϊόντα υγιεινής για τα χέρια είναι αποτελεσματικά κατά του 2019-nCoV?;

Η υγιεινή των χεριών με το τακτικό πλύσιμο των χεριών με σαπούνι και νερό, ή με μαντηλάκι χεριών με βάση το οινόπνευμα (ABHR) με συγκεκριμένη αποτελεσματικότητα ενάντια σε επικίνδυνους ιούς, είναι ένας από τους καλύτερους τρόπους για την αποφυγή της μετάδοσης των νέων παθογόνων.

Προϊόν	Κωδικός	Χρόνος επαφής	Δοσολογία
Epicare DES	10003511	30 sec	Αδιάλυτο
Epicare 5C	10005004, 10005113	60 sec	Αδιάλυτο
Nexa Spirigel Complete	10005005	30 sec	Αδιάλυτο

Ποια απολυμαντικά επιφανειών είναι αποτελεσματικά κατά του 2019-nCoV?;

Τα προϊόντα στον παρακάτω πίνακα έχουν αποδεδειγμένη ιοκτόνο δράση, σύμφωνα με το Ευρωπαϊκό πρότυπο ελέγχου EN 14476, και επομένως μπορούν να χρησιμοποιηθούν κατά του 2019-nCoV όταν χρησιμοποιούνται σύμφωνα με τις οδηγίες χρήσης σε σκληρές μη πορώδεις επιφάνειες.

Προϊόν	Κωδικός	Χρόνος επαφής	Δοσολογία
Sirafan Speed	10002931	30 sec	αδιάλυτο
Desguard 20	10002742	15 min	1%
Oasis Pro 20 Premium	10003668	15 min	1%
KitchenPro Des	10005109	15 min	1%

Τι γίνεται επί του παρόντος;

- Έλεγχος των ταξιδιωτών από το Γιουχάν της Κίνας
- Ταξιδιωτικοί περιορισμοί από την πόλη Γιουχάν

- Προσδιορισμός της προέλευσης του ιού, πράγμα που θα μπορούσε να οδηγήσει σε συστάσεις και καθοδήγηση σχετικά με τη μετάδοση από ζώα
- Εξέλιξη της νόσου σε ασθενείς και πώς μπορεί να έχουν μολυνθεί
- Συχνότητα μετάδοσης από άτομο σε άτομο

Για περισσότερες πληροφορίες

Παγκόσμιος Οργανισμός Υγείας, Κοροναϊός <https://www.who.int/health-topics/coronavirus>

Αναφορές:

1. Κέντρα για τον Έλεγχο και την Πρόληψη Ασθενειών, Σύνοψη για τον Κοροναϊό.
<https://www.cdc.gov/coronavirus/index.html>
2. Κέντρα για τον Έλεγχο και την Πρόληψη Ασθενειών, Νέος Κοροναϊός 2019.
<https://www.cdc.gov/coronavirus/2019-nCoV/summary.html>
3. Παγκόσμιος Οργανισμός Υγείας, Κοροναϊός
<https://www.who.int/health-topics/coronavirus>
4. Κέντρα για τον Έλεγχο και την Πρόληψη Ασθενειών, Προσωρινές Συστάσεις Πρόληψης και Ελέγχου Υγειονομικών Μολύνσεων για Ασθενείς υπό Παρακολούθηση για το Νέο Κοροναϊό 2019.
<https://www.cdc.gov/coronavirus/2019-nCoV/infection-control.html>
5. Οργανισμός Προστασίας Περιβάλλοντος, Νέα Οδηγία για Ιογενή Παθογόνα για Αντιμικροβιακά Παρασιτοκτόνα.
<https://www.epa.gov/pesticide-registration/emerging-viral-pathogen-guidance-antimicrobial-pesticides>

Oasis Pro 20 Premium
Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1 Product identifier

Product name : Oasis Pro 20 Premium
 Product code : 113143E
 Use of the Substance/Mixture : Cleaner and disinfectant
 Substance type: : Mixture

For professional users only.

Product dilution information : 1.0 % - 2.0 %

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Surface disinfectant. Spray and rinse manual process
 Kitchen cleaner. Spray and wipe manual process
 Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.
 PO Box 11; Winnington Avenue
 Northwich, Cheshire, United Kingdom CW8 4DX
 + 44 (0)1606 74488
 ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone number : +441618841235
 +32-(0)3-575-5555 Trans-European

Poison Information Centre telephone number : Not Available

Date of Compilation/Revision : 13.02.2018
 Version : 5.0

Section: 2. HAZARDS IDENTIFICATION
2.1 Classification of the substance or mixture
Classification (REGULATION (EC) No 1272/2008)
Product AS SOLD

Corrosive to metals, Category 1	H290
Skin corrosion, Category 1B	H314
Serious eye damage, Category 1	H318
Acute aquatic toxicity, Category 1	H400

Oasis Pro 20 Premium

Chronic aquatic toxicity, Category 2

H411

Product AT USE DILUTION

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Product AS SOLD

Hazard pictograms



Signal Word

: Danger

Hazard Statements

: H290 May be corrosive to metals.
 H314 Causes severe skin burns and eye damage.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

Supplemental Hazard Statements

: EUH071 Corrosive to the respiratory tract.

Precautionary Statements

: **Prevention:**
 P260 Do not breathe spray.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ eye protection/ face protection.
Response:
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label:

benzalkonium chloride
 N,N-Bis(3-aminopropyl)laurylamine

Product AT USE DILUTION

Not a hazardous substance or mixture.

2.3 Other hazards

Product AS SOLD

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Product AS SOLD

Hazardous components

Oasis Pro 20 Premium

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
benzalkonium chloride	68424-85-1 270-325-2	Acute toxicity Category 4; H302 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	>= 5 - < 10
N,N-Bis(3-aminopropyl)laurylamine	2372-82-9 219-145-8 01-2119980592-29	Acute toxicity Category 3; H301 Skin corrosion Category 1A; H314 Serious eye damage Category 1; H318 Specific target organ toxicity - repeated exposure Category 2; H373 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	>= 3 - < 5
Alkylpolyglycosides	110615-47-9 01-2119489418-23	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 1 - < 2.5
d-glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1 500-220-1 01-2119488530-36	Serious eye damage Category 1; H318	>= 1 - < 2.5

**Product AT USE DILUTION
Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	ClassificationREGULATION (EC) No 1272/2008	Concentration: [%]
Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride	68424-85-1 270-325-2 01-2119965180-41	Acute toxicityCategory 4; H302 Skin corrosionCategory 1B; H314 Serious eye damageCategory 1; H318 Acute aquatic toxicityCategory 1; H400 Chronic aquatic toxicityCategory 1; H410	>= 0.1 - < 0.25
N,N-Bis(3-aminopropyl)laurylamine	2372-82-9 219-145-8 01-2119980592-29	Acute toxicityCategory 3; H301 Skin corrosionCategory 1A; H314 Serious eye damageCategory 1; H318 Specific target organ toxicity - repeated exposureCategory 2; H373 Acute aquatic toxicityCategory 1; H400 Chronic aquatic toxicityCategory 1; H410	< 0.1

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

Product AS SOLD

- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.
- If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

Oasis Pro 20 Premium

anything by mouth to an unconscious person. Get medical attention immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

Product AT USE DILUTION

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Decomposition products may include the following materials:
Carbon oxides
nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Oasis Pro 20 Premium

6.1 Personal precautions, protective equipment and emergency procedures

Product AS SOLD

Advice for non-emergency personnel : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

Product AT USE DILUTION

Advice for non-emergency personnel : Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Product AS SOLD

Environmental precautions : Do not allow contact with soil, surface or ground water.

Product AT USE DILUTION

Environmental precautions : No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Product AS SOLD

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

Product AT USE DILUTION

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.
For personal protection see section 8.
See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Oasis Pro 20 Premium

Product AS SOLD

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Product AT USE DILUTION

Advice on safe handling : Wash hands after handling. For personal protection see section 8.

Hygiene measures : Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Product AS SOLD

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

||| Keep only in original container. Absorb spillage to prevent material damage.

Storage temperature : 0 °C to 35 °C

||| Packaging material : Suitable material: Plastic material
Unsuitable material: Mild steel, Aluminium

Product AT USE DILUTION

Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

7.3 Specific end uses

Product AS SOLD

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Product AS SOLD

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Product AS SOLD

Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

Oasis Pro 20 Premium

Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles
Face-shield

Hand protection (EN 374) : Recommended preventive skin protection
Gloves
Nitrile rubber
butyl-rubber
Breakthrough time: 1 – 4 hours
Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise).
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection (EN 14605) : Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing

Respiratory protection (EN 143, 14387) : When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, 89/686/EEC), or equivalent, with filter type:A-P

Product AT USE DILUTION

Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands before breaks and immediately after handling the product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, 89/686/EEC), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Oasis Pro 20 Premium**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: dark violet	
Odour	: Perfumes, fragrances	pleasant
pH	: 9.9 - 10.9, 100 %	9.2 - 9.3
Flash point	: Not applicable.	
Odour Threshold	: Not applicable and/or not determined for the mixture	
Melting point/freezing point	: Not applicable and/or not determined for the mixture	
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture	
Evaporation rate	: Not applicable and/or not determined for the mixture	
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture	
Upper explosion limit	: Not applicable and/or not determined for the mixture	
Lower explosion limit	: Not applicable and/or not determined for the mixture	
Vapour pressure	: Not applicable and/or not determined for the mixture	
Relative vapour density	: Not applicable and/or not determined for the mixture	
Relative density	: 0.992 - 1.002	
Water solubility	: soluble	
Solubility in other solvents	: Not applicable and/or not determined for the mixture	
Partition coefficient: n-octanol/water	: Not applicable and/or not determined for the mixture	
Auto-ignition temperature	: Not applicable and/or not determined for the mixture	
Thermal decomposition	: Not applicable and/or not determined for the mixture	
Viscosity, kinematic	: Not applicable and/or not determined for the mixture	
Explosive properties	: Not applicable and/or not determined for the mixture	
Oxidizing properties	: The substance or mixture is not classified as oxidizing.	

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY**Product AS SOLD****10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Oasis Pro 20 Premium

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Decomposition products may include the following materials:

Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Product AS SOLD

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Product

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Oasis Pro 20 Premium

Acute oral toxicity : benzalkonium chloride
LD50 rat: 344 mg/kg

N,N-Bis(3-aminopropyl)laurylamine
LD50 rat: 261 mg/kg

d-glucopyranose, oligomeric, decyl octyl glycosides
LD50 rat: > 5,000 mg/kg

Components

Acute dermal toxicity : benzalkonium chloride
LD50 rabbit: 3,340 mg/kg

d-glucopyranose, oligomeric, decyl octyl glycosides
LD50 rabbit: > 2,000 mg/kg

Potential Health Effects

Product AS SOLD

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

Ingestion : Causes digestive tract burns.

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

Product AT USE DILUTION

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

Product AT USE DILUTION

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Oasis Pro 20 Premium

Inhalation : No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

Product AS SOLD

12.1 Ecotoxicity

Environmental Effects : Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other aquatic invertebrates : no data available

Toxicity to algae : no data available

Components

Toxicity to fish : Alkylpolyglycosides
96 h LC50 Fish: 5 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates : benzalkonium chloride
48 h EC50 Daphnia magna (Water flea): 0.016 mg/l

Components

Toxicity to algae : N,N-Bis(3-aminopropyl)laurylamine
72 h EC50: 0.014 mg/l

d-glucopyranose, oligomeric, decyl octyl glycosides
72 h EC50: 18 mg/l

12.2 Persistence and degradability

Product

Biodegradability : The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

Components

Biodegradability : benzalkonium chloride
Result: Biodegradable

N,N-Bis(3-aminopropyl)laurylamine
Result: Readily biodegradable.

Alkylpolyglycosides
Result: Readily biodegradable.

d-glucopyranose, oligomeric, decyl octyl glycosides
Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

Oasis Pro 20 Premium

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product AS SOLD

Product : The product should not be allowed to enter drains, water courses or the soil. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Product AT USE DILUTION

Product : Diluted product can be flushed to sanitary sewer.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

Oasis Pro 20 Premium

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

- 14.1 UN number : 1903
14.2 UN proper shipping name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(quaternary ammonium compound, Alkylamine(s))
14.3 Transport hazard class(es) : 8
14.4 Packing group : III
14.5 Environmental hazards : Yes
14.6 Special precautions for user : None

Air transport (IATA)

- 14.1 UN number : 1903
14.2 UN proper shipping name : Disinfectant, liquid, corrosive, n.o.s.
(quaternary ammonium compound, Alkylamine(s))
14.3 Transport hazard class(es) : 8
14.4 Packing group : III
14.5 Environmental hazards : Yes
14.6 Special precautions for user : None

Sea transport (IMDG/IMO)

- 14.1 UN number : 1903
14.2 UN proper shipping name : DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(quaternary ammonium compound, Alkylamine(s))
14.3 Transport hazard class(es) : 8
14.4 Packing group : III
14.5 Environmental hazards : Yes
14.6 Special precautions for user : None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not applicable.

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- according to Detergents Regulation EC 648/2004 : less than 5 %: Non-ionic surfactants
Other constituents: Perfumes
Allergens:
Hexyl cinnamal

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Oasis Pro 20 Premium

Other regulations : The Chemicals (Hazard Information and Packaging for Supply) Regulations.
The Control of Substances Hazardous to Health Regulations.
Health and Safety at Work Act.

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Corrosive to metals 1, H290	Based on product data or assessment
Skin corrosion 1B, H314	Calculation method
Serious eye damage 1, H318	Calculation method
Acute aquatic toxicity 1, H400	Calculation method
Chronic aquatic toxicity 2, H411	Calculation method

Full text of H-Statements

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and

Oasis Pro 20 Premium

Restriction of Chemicals; RID – Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Further information

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Annex: Exposure Scenarios

Exposure Scenario: Surface disinfectant. Spray and rinse manual process

Life Cycle Stage : Widespread use by professional workers
Product category : **PC35** Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category : **ERC8a** Wide dispersive indoor use of processing aids in open systems
Daily amount per site : 7.5 kg
Type of Sewage Treatment Plant : Municipal sewage treatment plant

Contributing scenario controlling worker exposure for:

Process category : **PROC10** Roller application or brushing
Exposure duration : 480 min
Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Oasis Pro 20 Premium

Skin Protection : No

Respiratory Protection : No

Contributing scenario controlling worker exposure for:

Process category : **PROC8a** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities

Exposure duration : 60 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : Yes: See Section 8

Respiratory Protection : No

Contributing scenario controlling worker exposure for:

Process category : **PROC11** Non industrial spraying

Exposure duration : 60 min

Operational conditions and risk management measures : Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : No

Respiratory Protection : No

Exposure Scenario: Kitchen cleaner. Spray and wipe manual process

Life Cycle Stage : Widespread use by professional workers

Product category : **PC35** Washing and cleaning products (including solvent based products)

Contributing scenario controlling environmental exposure for:

Environmental release category : **ERC8a** Wide dispersive indoor use of processing aids in open systems

Daily amount per site : 7.5 kg

Type of Sewage Treatment Plant : Municipal sewage treatment plant

Oasis Pro 20 Premium

Contributing scenario controlling worker exposure for:

Process category : **PROC10** Roller application or brushing
Exposure duration : 480 min
Operational conditions and risk management measures : Indoor
Local Exhaust Ventilation is not required
General ventilation Ventilation rate per hour 1
Skin Protection : No
Respiratory Protection : No

Contributing scenario controlling worker exposure for:

Process category : **PROC8a** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
Exposure duration : 60 min
Operational conditions and risk management measures : Indoor
Local Exhaust Ventilation is not required
General ventilation Ventilation rate per hour 1
Skin Protection : Yes: See Section 8
Respiratory Protection : No

Contributing scenario controlling worker exposure for:

Process category : **PROC11** Non industrial spraying
Exposure duration : 60 min
Operational conditions and risk management measures : Indoor
Local Exhaust Ventilation is not required
General ventilation Ventilation rate per hour 1
Skin Protection : No
Respiratory Protection : No